



## Premium Multi-sided Systems DV Fireplaces, VF Fireplaces, VF Fireboxes and Log Sets

The Breckenridge Premium 36-inch See-Through Vent-Free Firebox is available in louver or flush-face (shown) includes curtain screens and Banded Brick Liner. Shown with Slope Glaze Vista Burner and Stone River ceramic fiber log set. Also available in Peninsula models with three open sides.



White Mountain Hearth - The Pinnacle of Efficiency

## Premium Multi-sided Gas Fireplaces and Fireboxes – See-Through and Peninsula

Bring the warmth and beauty of White Mountain Hearth into your home with a premium peninsula or see-through gas fireplace.

These 36-inch peninsula and see-through fireplaces are available in Tahoe direct-vent fireplace systems (35,000 Btu), Vail vent-free fireplace systems (38,000 Btu), and Breckenridge vent-free fireboxes. Our Tahoe and Vail fireplace systems include a 24-inch Slope Glaze Vista Burner installed (and slightly recessed into the floor) ready for the matching log set. Breckenridge Fireboxes accept any properly sized certified Vent-Free Burner and Log Set from 18- to 30-inch.

The unique Slope Glaze Vista Burner features ceramic pellets inside a large burner pan to create a deep field of dancing flames. Topped off with a hand-painted log set, your fireplace takes center stage. Even when off, the available dimmer-controlled interior lighting creates drama in any room.

Designed to complement our existing fireplace products, the new see-through and peninsula fireplaces accept many of the same decorative louver and door accessories as our conventional premium fireplaces, providing better continuity in homes with multiple fireplaces.

### See-Through or Peninsula

The see-through system is viewable from two sides for built-in-wall applications. It creates a stunning visual effect and serves as an efficient supplemental zone heat source for two adjoining rooms.

The peninsula system is viewable from three sides making it ideal for building into buttress walls or installing in a peninsula mantel.

### Peninsula Mantels

Our peninsula mantel tops and bases are made from 3/4-inch fine-furniture grade cabinetry components, including select hardwood veneers. Because this natural wood can vary in appearance, we grain match the components to assure you receive a great looking mantel. Each mantel is detailed in solid wood trim to match the veneer — oak or poplar. The full 3/4-inch cove moldings and edge trim add structural integrity. Matching decorative trim pieces add beauty and character.

Choose from one of seven finishes — cherry, dark oak, oak, white, unfinished oak, and unfinished hardwood, plus our rich new nutmeg. All of our mantels are hand sanded and then finished as a complete unit, assuring uniform color.



**Furniture-grade cabinetry components and 3/4-inch real wood moldings ensure lasting beauty**

# Tahoe Direct-Vent Fireplace Systems

## Tahoe Direct-Vent Fireplace Systems

Heater Rated at 35,000 Btu input, the Tahoe direct-vent system draws in outdoor air to support combustion and sends its exhaust directly outdoors, and must be located in a position that allows venting through an exterior wall or through the roof. Multi-sided Tahoe fireplaces install using readily available 4 x 6 direct-vent pipe.

Tahoe systems include a built-in 24-inch Slope Glaze Vista Burner, large tempered-glass viewing windows, Banded Brick Liner, ceramic fiber floor liner, dimmer controlled lighting, and glowing embers. The 24-inch Rock Creek Log Set must be ordered to complete the direct-vent fireplace.

### Popular Options

- EK-2 Large Ember Kit
- Decorative Louvers and Doors
- Thermostats, Remote Controls and Blower



The Tahoe Premium 36-inch Peninsula Direct-Vent Fireplace includes the 35,000 Btu Slope Glaze Vista Burner (for use with Rock Creek refractory log set only), large tempered glass view windows, and Banded Brick Liner. Shown with Peninsula Mantel and Base in Nutmeg finish and Optional EK-2 Large Ember Kit. Fireplace also available in See-Through models with two open sides.

# Vent-Free Fireplaces and Fireboxes

## Vail Vent-Free Fireplace Systems

At 99.9-percent efficient, the 38,000 Btu Vail vent-free system is the ultimate supplemental heat source for any home. This clean-burning fireplace employs oxygen depletion sensor technology to continuously monitor your room air and instantly shut off the gas well before oxygen drops to an unsafe level.

Vail systems include a built-in 24-inch Slope Glaze Vista Vent-Free Burner, arched frames with fixed screens, Banded Brick Liner, and glowing embers. Select a 24-inch Stone River Ceramic fiber log set or the Rock Creek refractory log set to complete the fireplace.

### Popular Options

- LK-2 Dimmer Controlled Lighting
- Decorative Louvers and Doors
- EK-2 Large Ember Kit
- Thermostats, Remote Controls and Blower



The Vail Premium 36-inch Peninsula Vent-Free Fireplace includes a 38,000 Btu Slope Glaze Vista Burner, plus fixed screens, louvers, and hoods on three sides. Shown with Stone River ceramic fiber log set. Also available in See-Through model with two open sides.

## Breckenridge Vent-Free Fireboxes

Our Breckenridge fireboxes accept any properly sized, certified vent-free burner and log set, such as the 18-inch, 24-inch, or 30-inch Slope Glaze Vista Burner, with a Stone River Ceramic fiber log set or a Rock Creek refractory log set.

The Breckenridge comes with conventional louvers or in a flush face model that can be completely bricked or tiled into place, yet still allow use of the circulation blower.

Breckenridge Fireboxes include curtain-style screens, Banded Brick Liners, and refractory sill. A listed multi-sided vent-free burner and log set must be ordered to complete the fireplace.

### Popular Options

- LK-2 Dimmer Controlled Lighting
- Decorative Louvers and Doors
- EK-2 Large Ember Kit
- Thermostats, Remote Controls and Blower




The Breckenridge Premium 36-inch Peninsula Vent-Free Firebox is available in louver or flush-face (shown) and includes curtain screens. Shown with Slope Glaze Vista Burner and Rock Creek refractory log set. Also available in See-Through models with two open sides.

# Decorative Fireplace Accessories


We offer optional louvers, hoods, doors, and frames in matte black, hammered pewter, polished brass, and stainless steel. Availability of styles and finishes varies by product. Ask your dealer for details.

## Decorative Doors – include handles, screens, and hinges

## Decorative Frames



Decorative Door Plain Rectangle




Decorative Door Mission Rectangle



Decorative Door Leaf Rectangle



Decorative Frame Rectangle with hinge mounting points



Decorative Door Plain Arch



Decorative Door Mission Arch



Decorative Door Leaf Arch



Decorative Frame Arch  
(available without hinge mounting points in Matte Black only)

## Decorative Louvers – with screens



Decorative Louver Arch



Decorative Louver Leaf



Decorative Louver Mission

Decorative Trim is available in Classic Matte Black, Modern Stainless Steel, Rich Hammered Pewter, and Traditional Polished Brass. Colors and styles vary by fireplace. Ask your dealer for details.

## Interior Lighting and Ember Kits

Dimmer-controlled lighting is standard on direct-vent systems and available as an option for vent-free fireplaces and fireboxes. The LK-2 interior light kit creates drama, even when the fire is off.

The EK-2 Ember Kit complements the Rock Creek or Stone River log set with seven large burnt log chunks and a generous mound of white and gray ashes to create a satisfying well-used fireplace appearance.



EK-2 Large Log Ember Kit

## Remote Controls and Thermostats

Take charge of your new fireplace with a battery-operated remote control, thermostat remote, electric remote control, wall thermostat, or wall switch.



FREC Remote Control



FWS Wall Switch



TMV Wall Thermostat



FRBC Remote Control



TRW Wall Thermostat



FRBTC Remote Control

# Slope Glaze Vista Burner and Stone River Log Set



Just like a real wood fire, the Stone River ceramic fiber Log Set provides a different look from every angle. The Slope Glaze Vista Built-in Burners conceal their controls behind the louvers, on fireplace models and behind a sliding panel on firebox applications.



**End View**



**Opposite Side View**

## Stone River and Rock Creek Multi-Sided Log Sets

The ceramic fiber Stone River set includes 5 stocky logs — hand-painted, of course — arranged for a slightly lower profile, compared to the Rock Creek set.

The Rock Creek set features richly detailed and hand-painted refractory logs — and lots of them — artfully stacked to complement the Slope Glaze Vista Burner. With bark, split-wood, and sawn ends showing, the exquisitely detailed Rock Creek set provides visual interest aflame or at rest.

# Slope Glaze Vista Burner and Rock Creek Log Set



Rugged looking refractory logs give the Rock Creek Log Set a rustic look on a grand scale.



Opposite Side View



End View

## Log Set Descriptions

Model	Log Set Description	Vista Burner	Ship Wt. (lb)	Model	Log Set Description	Vista Burner	Ship Wt. (lb)
Refractory				Ceramic Fiber			
LSU-18RR	Rock Creek, 9-Log	18	51	LSU-18SF	Stone River, 5-Log	18	10
LSU-24RR	Rock Creek, 11-Log	24	58	LSU-24SF	Stone River, 5-Log	24	12
LSU-30RR	Rock Creek, 11-Log	30	69	LSU-30SF	Stone River, 5-Log	30	15


## Vented/Vent-Free Slope Glaze Vista Burner

Model	Description	Log Length (inches)	Btu Input	Non-Empire Minimum Firebox Dimensions (inches)				Ship Wt. (lb)
				Front Width	Rear Width	Depth	Height	
Millivolt, Remote Ready								
VFSUR-18	Slope Glaze Vista Burner	18	36,000	22	22	17	17	24
VFSUR-24	Slope Glaze Vista Burner	24	38,000	28	28	17	18	29
VFSUR-30	Slope Glaze Vista Burner	30	40,000	32	32	17	18	34

<b>Model</b>	<b>Breckenridge Vent-Free Fire Box, Flush Face</b>
<b>VFP-36-PB2EF</b>	Breckenridge Premium VF 36 Peninsula Fire Box, Flush Face, Banded Brick Ceramic Fiber Liner
<b>VFP-36-PB2EL</b>	Breckenridge Premium VF 36 Peninsula Fire Box, Louvered, Banded Brick Ceramic Fiber Liner
<b>VFP-36-SB2EF</b>	Breckenridge Premium VF 36 See-Through Fire Box, Flush Face, Banded Brick Ceramic Fiber Liner
<b>VFP-36-SB2EL</b>	Breckenridge Premium VF 36 See-Through Fire Box, Louvered, Banded Brick Ceramic Fiber Liner
<b>Model</b>	<b>Vail Vent-Free Fireplace System (requires Stone River or Rock Creek Log Set - page 6 &amp; 7)</b>
<b>VFP-36-PP32E</b>	Vail Premium VF 36 Peninsula Fireplace Millivolt, Banded Brick Ceramic Fiber Liner
<b>VFP-36-SP32E</b>	Vail Premium VF 36 See-Through Fireplace Millivolt, Banded Brick Ceramic Fiber Liner
<b>Model</b>	<b>Tahoe Direct-Vent Fireplace System (requires Rock Creek Log Set - page 7)</b>
<b>DVP-36-PP32E</b>	Tahoe Premium DV 36 Peninsula Fireplace, Millivolt, Banded Brick Ceramic Fiber Liner, Dimmer Light (Requires LSU-24-RR log set)
<b>DVP-36-SP32E</b>	Tahoe Premium DV 36 See-Through Fireplace, Millivolt, Banded Brick Ceramic Fiber Liner, Dimmer Light (Requires LSU-24-RR log set)

## Fireplace Dimensions (in inches)

Model	A	B	C	D	E	F	G	H	I	J	K	L	M	N	Max Weight (lb)	Input Btu Nat Max/Min LP Max/Min
<b>VFP-36-PB2EF</b>	38 1/8	39	24	25 1/2	36	35 1/4	29 1/8	41 1/8	1 1/4	6 1/8	8 1/2	6	27 5/8	36 7/8	145	-
<b>VFP-36-PB2EL</b>	38 1/8	39	24	25 1/2	36	35 1/4	29 1/8	41 1/8	1 1/4	6 1/8	8 1/2	6	27 5/8	36 7/8	145	-
<b>VFP-36-SB2EF</b>	38 1/8	39	24	25 1/2	36	34 1/4	29 1/8	41 1/8	1 1/4	6 1/8	8 1/2	6	27 5/8	36 7/8	140	-
<b>VFP-36-SB2EL</b>	38 1/8	39	24	25 1/2	36	34 1/4	29 1/8	41 1/8	1 1/4	6 1/8	8 1/2	6	27 5/8	36 7/8	140	-
<b>VFP-36-PP32E</b>	34 3/4	37 5/8	24	22	36	32 5/8	29 1/8	37 3/4	1 1/4	6 1/8	2 1/2	6	24 1/8	33 1/2	175	38,000/25,000 38,000/30,000
<b>VFP-36-SP32E</b>	34 3/4	37 5/8	24	22	36	29 1/4	29 1/8	37 3/4	1 1/4	6 1/8	2 1/2	6	24 1/8	33 1/2	170	38,000/25,000 38,000/30,000
<b>DVP-36-PP32E</b>	34 3/4	37 5/8	24	-	36	32 5/8	-	41 1/8	1 1/4	6 1/8	2 1/2	6	24 1/8	33 1/2	230	35,000/24,000 35,000/28,000
<b>DVP-36-SP32E</b>	34 3/4	37 5/8	24	-	36	29 1/4	-	41 1/8	1 1/4	6 1/8	2 1/2	6	24 1/8	33 1/2	240	35,000/24,000 35,000/28,000



\* Flush available on firebox models only.

Drawings vary by product. Check owners manual for specific product dimensions.

### Warranty for All Models

All vent-free parts carry a 5-year limited labor warranty. All vented parts carry a 3-year limited warranty.

Note: Empire Comfort Systems is committed to continuous product improvement; specifications are subject to change without notice. Flame size, shape and color will vary from photos.

### Gas Inlet for All Models

Type of Gas (State on Order)	Natural or LP
Iron Pipe Size (N.P.T.)	1/2-inch
Ignition System	Standing Pilot/Piezo



This appliance is design-certified to the ANSI standard by:



Member of the following industry associations:



Empire Comfort Systems, Inc. • 918 Freeburg Ave. • Belleville, IL 62220-2623  
618-233-7420 • FAX 618-233-7097  
E-mail: info@empirecomfort.com

WMH-801 Rev. D 4/08

Empire Comfort Systems and White Mountain Hearth names and logos are registered U.S. trademarks.